

# River Adur bacteriological water sampling results

Last updated: 29/04/2024

Sample date	Old Tollbridge			Shoreham Footbridge			Norfolk Bridge			Adur Rec. Bridge		
	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci
13/01/2009	510	2,600	120	140	390	30	250	490	80	2,500	11,000	790
N/A	No sampling undertaken			No sampling undertaken			No sampling undertaken			No sampling undertaken		
11/03/2009	30	150	10	600	3,600	160	90	390	90	30	30	10
08/04/2009	<10	40	<10	<10	10	<10	<10	140	<10	30	1,300	40
12/05/2009	40	500	<10	20	130	10	30	50	200	190	1,900	40
09/06/2009	20	100	10	10	60	<10	50	70	<10	360	730	10
07/07/2009	<10	30	70	<10	<10	<10	<10	10	10	210	220	<10
11/08/2009	170	800	10	100	300	40	160	250	30	170	600	40
10/09/2009	300	510	530	220	490	80	30	300	40	260	590	90
15/10/2009	10	10	20	50	60	<10	120	800	50	140	310	50
N/A	No sampling undertaken			No sampling undertaken			No sampling undertaken			No sampling undertaken		
17/12/2009	200	200	180	70	220	40	110	410	50	910	2,800	380
15/01/2010	7,900	13,000	3,500	4,600	5,900	790	8,500	16,000	3,500	2,300	4,500	650
15/02/2010	130	190	30	10	40	20	500	500	20	130	480	50
17/03/2010	40	40	10	<10	10	<10	<10	<10	<10	20	40	50
28/04/2010	10	30	<10	<10	10	<10	<10	50	<10	80	800	<10
25/05/2010	<10	<10	<10	70	120	10	<10	<10	<10	10	160	10
24/06/2010	10	30	<10	20	60	<10	<10	<10	<10	40	140	<10
N/A	No sampling undertaken			No sampling undertaken			No sampling undertaken			No sampling undertaken		
11/08/2010	140	140	30	<10	<10	<10	<10	<10	<10	390	510	110
08/09/2010	<10	20	<10	<10	10	<10	10	50	<10	570	890	160
07/10/2010	990	2,000	230	170	560	370	240	580	250	1,200	2,500	170
08/11/2010	90	220	110	20	70	<10	30	170	<10	1,100	2,800	360
08/12/2010	<10	2,200	190	<10	1,300	260	<10	720	100	10	3,200	270
06/01/2011	250	980	130	60	320	130	110	390	50	1,200	3,100	380
16/02/2011	1,900	3,900	380	1,400	2,500	200	1,400	2,900	260	600	1,800	140
17/03/2011	20	50	20	40	60	10	290	490	50	90	350	20
19/04/2011	10	10	<10	<10	<10	<10	40	70	<10	130	190	40
17/05/2011	10	10	<10	<10	<10	<10	20	20	<10	110	200	<10
N/A	No sampling undertaken			No sampling undertaken			No sampling undertaken			No sampling undertaken		
12/07/2011	20	20	<10	<10	10	<10	10	10	<10	150	170	40
N/A	No sampling undertaken			No sampling undertaken			No sampling undertaken			No sampling undertaken		
13/09/2011	100	190	30	50	50	20	10	890	170	40	40	50
12/10/2011	30	50	20	10	10	<10	50	50	10	120	220	20
16/10/2011	900	2,000	130	70	320	40	240	240	30	370	1,400	80
14/12/2011	1,200	1,700	560	990	1,600	460	710	1,100	400	1,600	2,000	580
19/01/2012	410	470	140	370	510	80	260	770	210	310	390	110
21/02/2012	10	10	<10	<10	30	<10	200	350	10	10	100	10
12/03/2012	410	900	20	10	120	10	120	120	<10	1,300	2,900	120
24/04/2012	50	300	<10	20	90	<10	<10	10	<10	20	290	<10
17/05/2012	50	280	10	50	150	<10	50	120	<10	120	540	<10

# River Adur bacteriological water sampling results

Last updated: 29/04/2024

Sample date	Old Tollbridge			Shoreham Footbridge			Norfolk Bridge			Adur Rec. Bridge		
	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci
03/07/2012	40	130	10	30	30	<10	30	50	10	770	770	80
30/07/2012	20	250	0	160	200	80	10	100	0	60	300	40
30/08/2012	110	350	90	50	110	<10	50	200	40	120	700	200
01/10/2012	700	1,900	100	Sampling point inaccessible			520	550	30	2,100	2,200	180
16/10/2012	320	540	130	Sampling point inaccessible			60	110	10	530	120	280
23/11/2012	7,800	2,300	1,700	Sampling point inaccessible			Sampling point inaccessible			400	1,100	210
18/12/2012	3,600	12,000	1,100	Sampling point inaccessible			Sampling point inaccessible			110	150	70
09/01/2013	750	6,200	90	Sampling point inaccessible			640	4,000	110	670	7,300	110
11/02/2013	10,000	20,000	8,500	Sampling point inaccessible			4,600	13,000	3,400	5,500	7,100	4,500
27/03/2013	20	200	50	Sampling point inaccessible			40	40	<10	310	2,100	40
23/04/2013	30	80	0	Sampling point inaccessible			180	440	0	10	30	0
13/05/2013	250	620	<10	Sampling point inaccessible			110	420	<10	320	490	20
05/06/2013	10	10	10	Sampling point inaccessible			10	30	<10	40	190	<10
09/07/2013	70	220	10	Sampling point inaccessible			<10	40	<10	180	700	60
08/08/2013	440	480	130	Sampling point inaccessible			320	3,200	50	420	550	240
17/09/2013	20	30	10	Sampling point inaccessible			10	10	<10	360	690	20
16/10/2013	140	290	10	Sampling point inaccessible			40	100	0	1,600	5,300	160
N/A	No sampling undertaken			No sampling undertaken			No sampling undertaken			No sampling undertaken		
17/12/2013	4,100	4,500	1,100	2,700	3,800	780	3,200	4,900	550	3,400	4,900	640
20/01/2014	280	3,200	400	1,800	3,800	410	1,700	3,000	420	2,300	3,100	490
11/02/2014	4,800	13,000	1,600	8,600	13,000	1,200	9,800	20,000	1,200	3,800	9,700	2,400
18/03/2014	30	190	20	20	60	<10	<10	30	<10	130	420	100
15/04/2014	540	2,300	50	580	1,700	60	460	1,900	30	550	1,000	30
13/05/2014	80	540	20	100	600	10	70	370	20	440	1,800	80
11/06/2014	40	40	40	0	10	<10	10	30	10	230	280	80
22/07/2014	40	40	10	200	200	160	20	60	90	250	300	40
21/08/2014	40	110	<10	<10	10	<10	<10	<10	<10	100	250	<10
08/09/2014	20	150	10	<10	100	<10	<10	80	20	290	340	100
07/10/2014	650	3,300	1,100	70	160	190	150	310	110	1,000	2,300	2,400
06/11/2014	3,600	6,800	710	600	1,400	90	2,700	4,100	250	4,400	5,200	1,700
04/12/2014	90	140	80	20	50	20	80	160	20	320	500	160
20/01/2015	450	1,800	70	130	340	20	280	590	40	790	2,200	150
18/02/2015	2,000	2,800	630	3,300	5,600	2,200	2,600	4,500	960	2,400	5,300	510
18/03/2015	40	140	10	40	50	10	<10	10	<10	200	1,000	10
13/04/2015	70	30	<10	240	40	10	<10	<10	<10	70	60	20
15/05/2015	20	60	110	<10	<10	60	<10	10	300	280	430	90
17/06/2015	No result	No result	1,300	Sampling point inaccessible			No result	No result	<10	No result	No result	60
14/07/2015	190	300	30	<10	<10	<10	50	50	50	510	510	230
11/08/2015	70	150	50	10	10	<10	10	10	20	130	130	220
10/09/2015	10	60	<10	10	10	<10	<10	<10	<10	90	210	70
28/10/2015	90	No result	50	130	No result	130	10	No result	10	1,800	No result	310

# River Adur bacteriological water sampling results

Last updated: 29/04/2024

Sample date	Old Tollbridge			Shoreham Footbridge			Norfolk Bridge			Adur Rec. Bridge		
	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci
10/11/2015	360	1,800	110	160	330	40	530	1,400	80	2,000	2,200	250
09/12/2015	3,200	4,200	600	1,800	3,700	480	5,900	9,300	1,200	14,000	>10000	4,500
19/01/2016	2,700	4,500	300	1,800	3,400	480	4,200	1,900	480	270	1,800	50
18/02/2016	550	710	50	310	550	80	530	750	90	1,100	3,300	100
09/03/2016	1,300	1,300	200	110	200	30	500	500	110	1,900	2,300	300
19/04/2016	210	370	100	60	310	50	120	270	120	220	450	240
17/05/2016	10	10	10	20	100	50	<10	10	<10	30	100	<10
16/06/2016	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
19/07/2016	<10	<10	<10	<10	<10	<10	<10	20	20	110	260	50
16/08/2016	10	40	10	<10	<10	<10	30	30	<10	10	70	30
14/09/2016	30	250	20	20	20	30	<10	40	10	340	470	210
13/10/2016	40	90	<10	10	100	<10	<10	30	<10	40	1,300	130
17/11/2016	240	750	90	1,100	3,200	330	440	1,500	300	2,300	6,000	890
15/12/2016	160	170	30	<10	50	20	<10	60	30	410	410	290
11/01/2017	63	79	20	15	45	<10	17	25	<10	490	720	110
08/02/2017	2,400	4,600	No result	1,400	2,700	No result	1,500	2,900	No result	800	2,700	No result
09/03/2017	170	520	390	240	790	470	190	540	310	220	620	550
06/04/2017	3,200	12,000	800	Sampling point inaccessible			1,800	9,100	300	3,000	24,000	1,900
24/05/2017	30	150	<10	<10	30	<10	<10	30	<10	230	2,300	20
08/06/2017	9,400	26,000	280	5,800	16,000	90	3,100	12,000	180	8,900	18,000	420
06/07/2017	<10	20	10	30	40	<10	<10	<10	20	1,100	1,100	60
16/08/2017	190	250	70	100	230	50	120	200	80	500	1,600	660
06/09/2017	520	590	350	220	420	60	330	500	120	5,100	5,700	1,200
04/10/2017	210	1,000	30	30	260	30	360	2,400	100	1,300	2,300	240
02/11/2017	<10	<10	<10	<10	10	<10	<10	10	<10	220	800	90
14/12/2017	5,000	7,700	1,500	2,600	4,100	570	2,300	4,700	620	2,300	5,400	710
17/01/2018	4,200	8,600	1,100	3,100	7,200	760	4,600	11,000	880	3,500	6,100	810
27/02/2018	50	180	10	20	50	<10	80	100	10	320	640	40
15/03/2018	280	540	50	200	370	30	200	450	20	250	470	80
12/04/2018	820	2,200	150	480	2,100	80	390	1,500	50	660	2,200	60
15/05/2018	20	40	10	10	10	<10	<10	<10	10	340	1,100	50
13/06/2018	70	290	10	50	70	<10	140	160	40	1,100	2,600	60
11/07/2018	10	10	10	<10	10	<10	<10	10	10	100	250	20
09/08/2018	20	50	50	<10	<10	20	20	20	30	800	2,700	400
20/09/2018	30	50	20	Sampling point inaccessible			20	20	30	150	200	70
09/10/2018	220	400	150	300	360	220	2,600	3,100	390	7,500	7,500	500
21/11/2018	70	240	40	<10	70	30	50	50	30	420	690	200
18/12/2018	610	1,000	320	600	1,100	270	560	740	330	540	940	260
22/01/2019	1,300	3,200	700	760	3,100	600	1,000	2,900	680	1,700	5,800	870
05/02/2019	12,000	No result	12,000	8,600	No result	4,100	11,000	No result	6,700	9,500	No result	10,000
20/03/2019	90	300	30	40	130	<10	60	190	<10	2,400	3,600	90

# River Adur bacteriological water sampling results

Last updated: 29/04/2024

Sample date	Old Tollbridge			Shoreham Footbridge			Norfolk Bridge			Adur Rec. Bridge		
	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci
16/04/2019	<10	180	10	10	20	<10	<10	10	<10	120	900	60
15/05/2019	<10	60	10	<10	20	<10	<10	10	<10	<10	480	20
12/06/2019	4,200	4,600	2,200	4,200	4,200	1,000	2,300	3,500	600	2,400	2,400	2,300
11/07/2019	20	30	10	40	40	10	40	240	10	210	300	160
28/08/2019	20	80	<10	<10	<10	<10	<10	20	<10	900	1,400	<10
25/09/2019	500	600	590	700	800	410	700	1,200	630	400	1,400	770
09/10/2019	1,000	1,600	130	700	800	170	700	1,100	170	940	1,300	570
26/11/2019	700	1,200	220	180	200	30	170	300	80	2,600	2,700	590
10/12/2019	250	1,200	130	220	300	70	260	500	160	480	1,200	190
22/01/2020	180	240	20	400	800	50	220	340	10	360	830	90
26/02/2020	1,400	2,900	340	1,900	2,000	160	2,300	3,000	260	2,300	4,200	33
11/03/2020	2,200	2,200	260	1,600	2,800	330	2,000	3,100	500	700	3,500	40
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
16/09/2020	10	40	<10	10	10	<10	<10	<10	<10	1,800	3,000	180
14/10/2020	7,200	7,600	260	<10	30	<10	10	40	10	50	110	20
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
16/12/2020	500	2,500	190	200	1,500	50	250	2,100	30	8,300	9,000	470
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
N/A	Sampling suspended			Sampling suspended			Sampling suspended			Sampling suspended		
26/05/2021	900	2,200	200	150	100	50	220	900	30	2,300	3,800	570
22/06/2021	110	400	60	230	230	<10	140	180	40	560	1,800	210
06/07/2021	<100	300	80	70	140	10	70	270	30	120	300	110
24/08/2021	800	2,300	60	530	1,200	90	620	3,000	30	860	4,200	40
21/09/2021	300	600	70	10	10	<10	10	10	30	Sample not retrieved		
18/10/2021	20	200	<10	20	30	<10	70	220	50	2,300	3,900	250
16/11/2021	30	80	10	400	1,200	40	30	50	<10	1,100	2,200	110
15/12/2021	200	400	20	300	1,400	10	300	600	20	800	2,300	50
13/01/2022	330	1,300	100	280	700	120	330	800	10	170	230	70
15/02/2022	5,000	5,000	1,300	2,700	3,000	1,600	2,400	3,300	2,100	3,000	3,000	1,400
15/03/2022	190	390	10	160	350	10	60	170	10	570	2,500	80
26/04/2022	<10	40	<10	10	20	<10	<10	<10	<10	50	230	10
11/05/2022	20	150	10	80	90	0	30	640	20	80	660	30
28/06/2022	100	200	20	<10	30	<10	<10	30	<10	3,200	5,400	320
12/07/2022	<10	40	<10	<10	<10	10	<10	10	<10	410	550	20
25/08/2022	1,000	2,900	360	100	120	120	800	900	40	3,300	3,600	500
21/09/2022	40	140	30	30	30	<10	20	80	<10	430	1,400	60
06/10/2022	70	600	10	20	140	<10	100	200	20	1,700	4,300	30
10/11/2022	2,900	6,800	1,300	3,800	10,000	1,200	3,200	9,500	2,100	5,400	7,300	800

# River Adur bacteriological water sampling results

Last updated: 29/04/2024

Sample date	Old Tollbridge			Shoreham Footbridge			Norfolk Bridge			Adur Rec. Bridge		
	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci	Escherichia	Coliforms per	Enterococci
08/12/2022	100	170	<10	10	60	<10	30	150	20	1,800	1,900	120
23/01/2023	710	2,200	170	120	170	100	220	820	60	1,100	5,300	200
28/02/2023	290	3,700	60	310	4,600	60	270	3,500	20	480	800	50
22/03/2023	50	420	20	10	120	10	<10	380	10	2,200	4,600	100
20/04/2023	600	2,300	40	350	1,300	70	1,000	1,100	30	1,900	2,700	50
17/05/2023	160	300	<10	<10	40	<10	20	70	<10	3,100	5,800	40
15/06/2023	10	20	<10	<10	10	<10	<10	<10	<10	150	160	<10
12/07/2023	30	90	10	<10	40	10	70	70	10	30	90	<10
15/08/2023	20	70	<10	10	10	<10	<10	<10	10	260	540	50
13/09/2023	130	180	60	10	20	10	10	10	<10	2,300	2,400	460
10/10/2023	70	1,500	410	10	400	20	30	80	20	3,400	3,800	140
09/11/2023	390	1,700	250	330	1,700	240	400	2,100	220	380	1,800	190
11/12/2023	8,600	10,000	620	5,200	7,200	450	6,100	8,400	540	4,100	6,400	380
11/01/2024	700	2,800	120	300	1,300	160	1,000	2,700	140	5,500	5,700	300
21/02/2024	900	1,900	140	700	2,300	150	1,700	2,700	240	1,400	2,200	170
21/03/2024	700	3,100	60	1,100	3,200	60	500	1,300	140	520	680	110
18/04/2024	180	370	20	50	300	<10	40	340	<10	50	320	<10